غشام للخدمات البحرية و التجارية

GHASHAM MARINE SERVICES & TRADING W.L.L

Supply & Services of Marine Safety Equipments

info@ghashammarine.com | www.ghashammarine.com

Next Page

GHASHAM MARINE SERVICES & TRADING W.L.L

GHASHAM MARINE SERVICES a branch of Ghasham Group, a fully private owned company is firmly established in State of Qatar in the field of Marine equipments supply business, deals in supply and service of marine safety equipments. We are one stop solutions for marine and offshore industries offering huge options in marine safety equipments and life saving appliances such as Life rafts, Lifejackets, Marine protective suits, Marine Immersion suits, Signal Flares etc.

With the increased level of security and safety requirements around the world Ghasham Marine Services has focused its effort on three distinctive and specialized products ranges: Marine Safety, Emergency Preparedness and Safety Signage for commercial buildings and commercial marine applications.

In each of these areas we bring vast knowledge, quality, competitiveness, and highest available service.

With our manufacturer around the globe Ghasham Marine Services delivered products which are approved by the United States Coast guard, several classification societies, and meet the standard of the International Maritime Organization (SOLAS) and the EU Equipment Directive which are marked with the "SHIP'S WHEEL".

We value your continued support and look forward to serving you with the best products and service for the year to come.

info@ghashammarine.com | www.ghashammarine.com

ABS

ICA ISO 9001:2015 CERTIFIED

AIAO-BAR ★★★★★ ACCREDITED USA

GCRIEBER

Comet MARINE DISTRESS SIGNALS

survitecgroup

PainsWessex MARINE DISTRESS SIGNALS

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

RED HANDFLARE

Art No. 9162800 | 9529000

The Handflare MK8 conforms to SOLAS 74 as amended. Designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water. Featuring a telescopic handle with improved grip, making it very compact for stowage. Easily extended for safe handling and operation by pull wire ignitor. Produces hot red flame for 60 seconds at 15000 candela.

PARA RED ROCKET MK8A

Art No. 9506720 | 9163100

The Pains Wessex Para Red MK8A Rocket conforms to SOLAS 74 as amended. Designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water, the pull wire ignitor and improved grip provides easy handling. Ejecting a red flare on a parachute at 300m (1000ft), burning for 40 seconds at 30,000 candela.

LIFESMOKE MK9

Art no 9537000 | 9192000

The Lifesmoke MK9 is a compact, daylight distress signal designed to be easy and safe to handle. It provides effective position marking during rescue operations and can be used to indicate wind direction, producing dense orange smoke for a minimum of 3 minutes.

Prev Page | Next Page | Home Page

LIGHT AND SMOKE SIGNAL

Art No. 9181600 | 9537800

The Light and Smoke Lifebuoy Marker produces dense orange smoke for 15 minutes and features two self contained, inversion switched, LED lights which far exceed SOLAS requirements for output and duration. Ships are required to carry 2 markers, one mounted on each bridge wing with the brackets supplied and attached by line to a 4kg Lifebuoy. The signal is used to mark the position of a man overboard by day or night. It can be automatically deployed by releasing the attached lifebuoy, or manually activated.

LINETHROWER 250

Art No. 9502000 Body and line 9500700 • Rocket 9500800
Art No .9160400 Body and line 9160500 • Rocket 9162700

A self-contained line-throwing appliance consisting of a weatherproof plastic casing with end cap, twist-grip trigger assembly, rocket and line. To comply with SOLAS requirements, four complete rocket and line assemblies (Item No. 9502000) should be carried on board. The device has a throwing range of between 230m and 250m. A solid propellant is used which guarantees a highly accurate flight path even in strong sidewinds.

LINETHROWER 250 ROCKET

Art No. 9502000 Body and line 9500700 • Rocket 9500800
Art No .9160400 Body and line 9160500 • Rocket 9162700

A self-contained line-throwing appliance consisting of a weatherproof plastic casing with end cap, twist-grip trigger assembly, rocket and line. To comply with SOLAS requirements, four complete rocket and line assemblies (Art. No. 9160400) should be carried on board. The device has a throwing range of between 230m and 250m. A solid propellant is used which guarantees a highly accurate flight path even in strong sidewinds

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

SIGNAL PISTOL AND CARTRIDGES CALIBRE 4/26.5MM

ART No. Pistol 9129300 | Red Cartridge 9182000 | White Cartridge 9182100 | Green Cartridge 9182200

WARNING • Ejects projectile - do not point at people or property • Do not fire in a confined space • Keep out of reach of children • If damaged or dented do not use • Do not dismantle • Keep away from source of heat • Do not use after expiry date DISPOSAL • Pyrotechnics must be treated as hazardous items and must be disposed of responsibly in accordance with local regulations. For help and advice, visit our website www.painswessex.com www.painswessex.com • info@signalandsafety.com • Tel: +44 (0)2392 415700 Issue 5 09/2015 Signal Pistol Features Note: Pistols are re-conditioned and supplied as 'Pre-used' from authorised stock • Solid and robust, easy to operate • Bronzed barrel with plastic handle • Supplied with leather bag and cleaning materials • Fires range of distress, illuminating, ma- r o o n and signalling Very cartridges • Free falling and parachute varieties • Can be used for flare stack lighting Signal Cartridge Features • Easy handling • Easy identification • Coloured caps signify flare colour and notched edges aid identification at night Red flare = Full edging and signals distress White flare = half edging and signals collision warning and briefly illuminates the foreground Green flare = no edging and used as a general signal

POLYBOTTLE	
Large:	9569000
Mini:	9128900

Width	218 mm (8.6 inches)
Height	400 mm (15.7 inches)
Diameter	218 mm (8.6 inches)
Weight	0.6 Kg

GRAB BAG
9874000

Width	30 cm (11.8 inches)
Height	60 cm (23.6 inches)

Prev Page | Next Page | Home Page

PARACHUTE ILLUMINATING ROCKET MK8

ART No.9123700 | 9507550

The Comet Parachute Illuminating Rocket is used in Search and Rescue operations at night or for collision warning. Designed to withstand exceptional environmental exposure and to perform reliably even after immersion in water, the pull wire ignitor and improved grip provides easy handling. The rocket ejects a white flare suspended on a parachute at 300m (1000ft), which burns for 30 seconds at 90,000 candela.

FIRE EXTINGUISHER

- Water Fire Extinguisher – Class A
- Foam Fire Extinguisher – Class A & B
- Dry Powder Fire Extinguisher – Class A, B & C
- Co2 Fire Extinguisher – Class B (Electrical & Liquid Fires)

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

Lifejacket Lamda, SOLAS Approved

Lalizas Inflatable life jackets Lamda 150N, Lamda 275N & Delta 150N follow the latest SOLAS specifications for ultimate safety, while on board. They feature twin chambers for double security and each chamber can be inflated via its individual Lalizas automatic operating head (20260, certified per ISO 12402-7), which also supports manual activation. The inflatable chamber, which is made of High Visibility Yellow fabric, is folded into a valise with Velcro closure and its inflation tube incorporates the new Lalizas red pressure relief valves (20611, certified per ISO 12402-7).

Advanced Folding Life Jacket

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

Product Description

Emergency Drinking Water

Drink directly from the sachet. Save drinking water, drink maximum 0.5 L every 24 hrs.
UNIT : Each unit contains 500 ml
5 inner sachets of 2 x 50 ml
30 units/carton
15.00 kg net/carton
5 years shelf life exceeding SOLAS requirements.

The flexible packets offer minimum weight and are easy to stow. Also usable in a frozen condition.

Lifebuoy Ring

Immersion Suits

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

Hydro Static Release Unit for Liferaft

Make: Hammar – Sweden Model: H 20 R

Hydro Static Release Unit for EPIRB

Make: Hammar – Sweden Model: H 20 E

EPIRB

SCBA

GHASHAM MARINE SERVICES & TRADING W.L.L

www.ghashammarine.com

SART (Search And Rescue Transponder)

Radio

EEBD
(Emergency Escape Breathing Devices)

GHASHAM MARINE SERVICES & TRADING W.L.L

Surviva Features

- Manufactured from coated textile corrosion and abrasion resistant rubber
- Fully enclosed double skinned high visibility canopy complete with retro-flective tape
- Non-inflatable easy access boarding ramp
- High volume water pockets to ensure maximum stability when inflated
- Canopy fitted with LED light ensuring maximum visibility
- Fully insulated floor to ensure maximum thermal protection
- Stowed in lightweight streamlined GRP containers enabling maximum deck space utilisation
- Container options available
- Available in davit launch and throw over versions

FRONT VIEW

BACK VIEW



MK10 CYLINDRICAL CONTAINER



MK14 CYLINDRICAL CONTAINER



SOLAS A PACK			
Rated Capacity	Length mm	Diameter mm	Weight Approx Oper tional Kg
6	1260	485	76
8	1260	485	80
10	1390	535	100
12	1390	535	109
16	1530	530	137
20	1635	585	158
25	1635	585	178
12DL	1390	535	114
16DL	1530	530	139
20DL	1635	585	160
25DL	1635	585	183

SOLAS A PACK			
Rated Capacity	Length mm	Diameter mm	Weight Approx Oper tional Kg
6	1066	556	76
10	1156	584	99
12	1156	584	106
16	1308	685	144
20	1308	685	160
25	1308	685	180
12DL	1156	584	113
16DL	1308	685	141
20DL	1308	685	163
25DL	1308	685	185

SOLAS B PACK			
Rated Capacity	Length mm	Diameter mm	Weight Approx Oper tional Kg
6	1160	435	57
8	1160	435	57
10	1260	485	80
12	1260	485	85
16	1390	535	103
20	1540	530	109
25	1540	530	128
12DL	1260	435	90
16DL	1390	535	107
20DL	1540	530	120
25DL	1540	530	133

SOLAS B PACK			
Rated Capacity	Length mm	Diameter mm	Weight Approx Oper tional Kg
6	1066	556	57
10	1066	556	79
12	1156	584	79
16	1156	584	101
20	1156	584	106
25	1308	685	130
12DL	1156	584	92
16DL	1156	584	106
20DL	1308	685	123
25DL	1308	685	135

MK10 CYLINDRICAL CONTAINER



DAVIT LAUNCH RAFT HEIGHTS





SOLAS A PACK				
Rated Capacity	Length mm	Width mm	Height mm	Weight Kg
6	985	670	435	76
8	985	670	435	86
10	1190	650	315	101
12	1190	650	315	110
20DL	1525	829	505	160
25DL	1525	820	505	183

SOLAS B PACK				
Rated Capacity	Length mm	Width mm	Height mm	Weight Kg
6	900	646	310	57
8	985	670	435	62
10	1190	650	315	85
12	1190	650	315	90
20DL	-	-	-	-
25DL	1525	820	505	153

RATED CAPACITY	A mm	B mm	C mm	D mm	E mm
12	1600	1000	2860	1891	1300
16	1700	1000	3270	2065	1420
20	1800	1000	4070	2065	1400
25	1800	1000	4070	2270	1540

*All weights and dimensions are approximate and may be subject to slight variation.

www.ghashammarine.com

Emergency Rations

Product Description

Consumed directly from the packet.

Each unit contains 500 g
- 9 bars of 55.6 g and 250 kcal each
- 24 units/carton
- 12.00 kg net/carton
- 5 years shelf life exceeding SOLAS requirements.

Vacuum packed in air- and watertight 3 layer alufoil in a strong water repellent box.

NUTRITION
Contains optimal ratio of balanced nutrition to volume. Halal Certified.

SAFETY COMES FIRST AT SEA

Eliminating safety hazards and risks by 100% is nearly impossible at sea. What we can do as mariners, is to minimise the risks and hazards associated with both life and assets. It is our duty to professionally follow strict safety procedures, and ensure the quality and performance of safety equipment used at sea. Periodical inspection and maintenance can highly minimise the chances of equipment failure. Our facility in Qatar has qualified and experienced professionals who strictly inspect safety products to conform to latest internationally recognised standards. We are committed to your safety and only supply equipment manufactured by leading manufacturers in the maritime industry.

- Supply of Pyrotechnics
- Undertaking Disposal Pyrotechnics with local authorities (MOI)
- Supply of Explorer Cases
- Supply of All Marine related products
- Supply of Marine Radios
- Sales & Service of Liferafts

GHASHAM MARINE SERVICES & TRADING W.L.L

ABS

ACCREDITED USA

Tel: +974-44151888, Fax: +974-44151777, Po Box. 31754, State of Qatar.
info@ghashammarine.com / www.ghashammarine.com

Prev Page Home Page